

Model: DUS024 Price \$790.00 USD FOB: Fosan China
 Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS024
2	Size	H3m
3	Color	Natural color
4	Lighting source	Energy saving lamp(5W)/LED(6W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/18AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (20W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10hrs per day, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp275Lm/LED150Lm
9	Ambient Temp.	-20-50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, PC lampshade
11	Grade of Protection	IP55
12	Wind Resistibility	More than 100km/h
13	Weight	63kg
14	Volume(package included)	0.47m ³
15	Package size 1	63cm*63cm*73cm
16	Package size 2	22cm*22cm*206cm
17	Package size 3	43cm*43cm*44cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS025 Price \$ 892.00 USD FOB: Fosan China
Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS025
2	Size	H3m
3	Color	Natural color
4	Lighting source	Energy saving lamp(5W)/LED(6W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/18AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (20W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10hrs per day, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp275Lm/LED150Lm
9	Ambient Temp.	-20-50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, PC lampshade
11	Grade of Protection	IP55
12	Wind Resistibility	More than 100km/h
13	Weight	58kg
14	Volume(package included)	0.71m ³
15	Package size 1	63cm*63cm*40cm
16	Package size 2	35cm*45cm*308cm
17	Package size 3	45cm*33cm*44cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS026 Price \$1180.00 USD FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS026
2	Size	H4m
3	Color	Natural color
4	Lighting source	Energy saving lamp(9W)/LED(9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/38AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs per day, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp495Lm/LED225Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	85kg
14	Volume(package included)	0.5m ³
15	Package size 1	70cm*66.5cm*18cm
16	Package size 2	60.5cm*31cm*27.5cm
17	Package size 3	40cm*14.5cm*132.5cm
18	Package size 4	25.5cm*20cm*371cm
19	Package size 5	43cm*43cm*44cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS027 Price \$1372.00 USD FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS027
2	Size	H4m
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*5W)/LED(2*6W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/38AH)circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs per day, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp550Lm/LED300Lm
9	Ambient Temp.	-20-50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, PC lampshade
11	Grade of Protection	IP55
12	Wind Resistibility	More than 100km/h
13	Weight	90kg
14	Volume(package included)	0.82m ³
15	Package size 1	58cm*18cm*122cm
16	Package size 2	74cm*50cm*64cm
17	Package size 3	20cm*22cm*333cm
18	Package size 4	43cm*43cm*44cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS028 Price \$1798.00 USD FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS028
2	Size	H5m
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*9W)/LED(2*9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/55AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (70W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp990Lm/LED450Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	98kg
14	Volume(package included)	1.223m ³
15	Package size 1	120cm*79.5cm*10cm
16	Package size 2	120cm*161.5cm*17.5cm
17	Package size 3	53cm*27cm*24cm*2cm
18	Package size 4	51cm*42cm*61cm
19	Package size 5	598cm*30cm*30cm
20	Package size 6	120cm*35cm*12cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS029 Price \$1196.00 USD FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS029
2	Size	H3.8m
3	Color	Natural color
4	Lighting source	Energy saving lamp(5W)/LED(6W) + 7 color mixing
5	Rechargeable battery	Pb Acid rechargeable battery (12V/18AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp275Lm/LED150Lm + LED175Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	45kg
14	Volume(package included)	1.147m ³
15	Package size 1	321cm*51cm*51cm
16	Package size 2	65cm*55cm*6cm
17	Package size 3	61cm*69cm*69cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS030 Price \$1502.00 FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS030
2	Size	H3600mm
3	Color	Natural color
4	Lighting source	Energy saving lamp(4*3W)/LED(4*3W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/38AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp660Lm/LED300Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	Stainless steel pole, PC lampshade
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	35kg
14	Volume (package included)	2.8m ³
15	Package size 1	321cm*51cm*51cm
16	Package size 2	81cm*121cm*121cm
17	Package size 3	65cm*55cm*6cm
18	Package size 4	51cm*121cm*121cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS031 Price \$1372.00 USD FOB Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS031
2	Size	H3.6m
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*5W)/LED(2*6W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/38AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs, dark cloudy day: keep working for 3 days
8	Luminous flux	Energy saving lamp550Lm/LED300Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	Aluminium pole and powder coated, PC lampshade
11	Grade of Protection	IP55
12	Wind Resistibility	More than 100km/h
13	Weight	50kg
14	Volume(package included)	1.008m ³
15	Package size 1	281cm*51cm*51cm
16	Package size 2	41cm*51cm*61cm
17	Package size 3	65cm*55cm*6cm
18	Package size 4	51cm*61cm*41cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS032 Price\$ 1998.00 FOB: Fosan China
Use Panasonic energy sources,imported Panasonic technology to design control circuitry



Specification: H: 5M

1	Type	DUS032
2	Size	H5000mm
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*9W)/LED(2*9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/55AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (70W/18V)life: 15 years
7	Lighting duration	Sunny day: 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp990Lm/LED450Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	98kg
14	Volume (package included)	1.215m3
15	Package size 1	120cm*79.5cm*10cm
16	Package size 2	120cm*161.5cm*17.5cm
17	Package size 3	53cm*27cm*24cm*2cm
18	Package size 4	51cm*42cm*61cm
19	Package size 5	598cm*30cm*30cm
20	Package size 6	120cm*30cm*12cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS033 Price 1934.00 USD FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS033
2	Size	H5000mm
3	Color	Natural color
4	Lighting source	Energy saving lamp(9W)/LED(9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/38AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (40W/18V) life: 15 years
7	Lighting duration	Sunny day : 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp495Lm/LED225Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	75kg
14	Volume (package included)	0.97m 3
15	Package size 1	120cm*79.5cm*10cm
16	Package size 2	120cm*79.5cm*11.5cm
17	Package size 3	53cm*27cm*24cm
18	Package size 4	51cm*42cm*31cm
19	Package size 5	598cm*30cm*30cm

20	Package size 6	120cm*35cm*30cm
----	-------------------	-----------------

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS034 \$1998.00 Price FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS034
2	Size	H5000mm
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*9W)/LED(2*9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/55AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (70W/18V) life: 15 years
7	Lighting duration	Sunny day : 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp990Lm/LED450Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	98kg
14	Volume (package included)	1.215m 3
15	Package size 1	120cm*79.5cm*10cm
16	Package size 2	120cm*161.5cm*17.5cm
17	Package size 3	53cm*27cm*24cm*2cm
18	Package size 4	51cm*42cm*61cm
19	Package size 5	598cm*30cm*30cm
20	Package size 6	120cm*30cm*12cm

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more

Model: DUS035 \$2012.00 USD Price FOB: Fosan China

Use Panasonic energy sources, imported Panasonic technology to design control circuitry



1	Type	DUS035
2	Size	H5000mm
3	Color	Natural color
4	Lighting source	Energy saving lamp(2*9W)/LED(2*9W)
5	Rechargeable battery	Pb Acid rechargeable battery (12V/55AH) circulation:500times
6	Solar panel	Polycrystalline silicone Battery (70W/18V) life: 15 years
7	Lighting duration	Sunny day : 6-10 hrs, dark cloudy day: keep working for 3days
8	Luminous flux	Energy saving lamp990Lm/LED450Lm
9	Ambient Temp.	-20- 50 Centigrade degree
10	Material	The steel pole is powder coated after heat-plating zinc, die-casting aluminum lamp head
11	Grade of Protection	IP55
12	Wind Resistibility	More than100km/h
13	Weight	98kg
14	Volume (package included)	1.223m 3
15	Package size 1	120cm*79.5cm*10cm
16	Package size 2	120cm*161.5cm*17.5cm
17	Package size 3	53cm*27cm*24cm*2cm
18	Package size 4	51cm*42cm*61cm
19	Package size 5	598cm*30cm*30cm

20	Package size 6	120cm*35cm*12cm
----	-------------------	-----------------

Product Application:

Conservation areas, remote homes, countryside roads, developing countries, caravan parks, farm tracks, stables, yards, car parks, industrial buildings, airfields, adaptable for other applications e.g. road sign, illumination, harbor side lighting, shore based, navigation lighting, and many more
